

MODEL	OHMS	DESCRIPTION	PRIX
NEODYMIUM CONE TRANSDUCERS			
21" Neodymium			
21iD	2	21" IPAL™ optimized neo subwoofer - 5.3" vc - 1800W AES - 98dB@1W/1mt - ISV - DSS - SDR	€ 1.380,00
21NLW9601	4/8	21" Extended LF Neodymium Driver - 5.3" vc - 1800W AES - 98dB@1W/1mt - ISV - TSS - SDR	€ 1.236,00
21NLW9601C	4	21" Extended LF Neodymium Driver - 5.3" vc - 1800W AES - 98dB@1W/1mt - ISV - DSS - SDR - Carbon Cone	€ 1.560,00
21NLW9001	4/8	21" Extended LF Neodymium Driver - 5.3" vc - 1800W AES - 98dB@1W/1mt - ISV - DSS - SDR	€ 1.152,00
21NTLW5000	4/8	21" Extended LF Tetracoil Neo Driver - Dual 4.5" vc - 1800W AES - 97dB@1W/1mt - TTC	€ 1.224,00
21NLW4100	4/8	21" Extended LF Neodymium Driver 4" vc - 1700W AES - 97 dB@1w/1mt - ISV - Active Cooling	€ 912,00
18" Neodymium			
18iD200	2	18" Ipal Optimized Neo Subwoofer-5,3" vc- 1800 AES -95 sB@1w/1mt -ISV-DSS-	€ 1.260,00
18iD	2	18" IPAL™ optimized neo subwoofer - 5.3" vc - 1800W AES - 98dB@1W/1mt - ISV - DSS - SDR	€ 1.320,00
18NLW9601	4/8	18" Extended LF Neodymium Driver - 5.3" vc - 1800W AES - 97dB@1W/1mt - ISV - DSS - SDR	€ 1.068,00
18NLW9601C	8	18" Extended LF Neodymium Driver - 5.3" vc - 1800W AES - 97dB@1W/1mt - ISV - DSS - SDR - Carbon Cone	€ 1.404,00
18NLW9000	4/8	18" Extended LF Neodymium Driver - 5.3" vc - 1800W AES - 96,5dB@1W/1mt - ISV - SDR - TSS	€ 1.056,00
18NTLS5000	4	18" Extended LF Rubber Surround Tetracoil Neo Driver - Dual 4.5" vc - 1800W AES - 89dB@1W/1mt - TTC	€ 1.320,00
18NTLW5000	4/8	18" Extended LF Tetracoil Neo Driver - Dual 4.5" vc - 1800W AES - 95dB@1W/1mt - TTC	€ 1.104,00
18NLS4000	4	18" Extended LF Neodymium Driver 4" vc - 1200 AES - 88 dB@1w/1mt - 52mm long ISV - SDR	€ 972,00
18NLW4500	4/8	18" Extended LF Neo Transducer - 4.5" vc - 1500W AES - 95.5dB@1W/1mt - ISV - SDR	€ 960,00
18NLW4100	4/8	18" Extended LF Neodymium Driver - 4" vc - 1500W AES - 96.5dB@1W/1mt - ISV - SDR	€ 756,00
18NLW9400	4/8	18" Extended LF Neodymium Driver - 4" vc - 1200W AES - 98dB@1W/1mt - ISV - DSS	€ 612,00
15" Neodymium			
15NLW4500	4/8	15" Extended LF Neodymium Driver - 4.5" vc - 1500W AES - 96.5dB@1W/1mt - ISV - SDR	€ 888,00
15NLW9500	4/8	15" Extended LF Neodymium Driver - 4" vc - 1000W AES - 96dB@1W/1mt - ISV - DSS - DDR	€ 756,00
15NLW9401	4/8	15" Extended LF Neodymium Driver- 4" vc - 1200W AES - 97,5dB@1W/1mt - ISV - DSS	€ 576,00
15NLW9300	8	15" Extended LF Neodymium Driver - 4" vc - 1000W AES - 97dB@1W/1mt - ISV - DSS - DDR	€ 636,00
15NMB1000	8	15" High Output MB Neodymium Driver - 4" vc - 900W AES - 101dB@1W/1mt - ISV - SDR	€ 528,00
15NTLS3500	8	15" Dual Gap Rubber Surround Neodymium Driver - Dual 3.5" vc - 900W AES - 89dB@1W/1mt - DG	€ 912,00
15NTLW3500	4/8	15" Dual Gap Neodymium Driver - Dual 3.5" vc - 900W AES - 100dB@1W/1mt - DG	€ 624,00
15NMB420	8	15" MB Neodymium Driver 3" vc - 450 AES - 99 dB@1W/mt - SDR	€ 456,00
15NW530	8	15" Low Frequency Neodymium Driver - 3" vc - 500W AES - 96dB@1W/1mt - ISV - DSS - SDR	€ 504,00
15ND930	4/8/16	15" Extended LF Neodymium Driver - 3" vc - 500W AES - 98dB@1W/1mt - DDR	€ 504,00
15ND830	4/8	15" LF Neodymium Driver - 3" vc - 450W AES - 98dB@1W/1mt - ISV	€ 456,00
15ND730	8	15" LF Neodymium Driver - 3" vc - 400W AES - 99dB@1W/1mt - ISV	€ 444,00
12" Neodymium			
12NLW9410	8	12" Extended LF Neodymium Driver - 4" vc - 1000W AES - 95dB@1W/1mt - ISV - SDR	€ 588,00
12NLW9300	8	12" Extended LF Neodymium Driver - 4" vc - 800W AES - 98dB@1W/1mt - ISV - DSS - DDR	€ 588,00
12NMB1000	8	12" High Output MB Neodymium Driver - 4" vc - 600W AES - 102dB@1W/1mt - ISV - SDR	€ 504,00
12NTLW3500	4/8/16	12" Dual Gap Neodymium Driver - Dual 3.5" vc - 900W AES - 98dB@1W/1mt - DG	€ 564,00
12NTLW2500	4/8/16	12" Dual Gap Neodymium Driver - Dual 3.5" vc - 500W AES - 98,5dB@1W/1mt - DG	€ 408,00
12NTLS3500	4/8	12" Dual Gap Neodymium Driver - Dual 3.5" vc - 750W AES - 93,5dB@1W/1mt - DG	€ 564,00
12NW350	8	12" Extended LF Driver - 3,5" vc - 800W AES - 98 dB@1w/1mt - ISV	€ 480,00
12NW530	8	12" Extended LF Neodymium - 3" vc - 500W AES - 96db@1W/1mt- ISV - DSS - SDR	€ 456,00

MODEL	OHMS	DESCRIPTION	PRIX
NEODYMIUM CONE TRANSDUCERS			
12" Neodymium (cont.)			
12ND930	8	12" LF Neodymium Driver - 3" vc - 500W AES - 98dB@1W/1mt - ISV - SDR	€ 468,00
12ND710	8/16	12" Very High Output MB Neodymium Driver - 3" vc - 450W AES - 101dB@1W/1mt - ISV - DDR	€ 462,00
12ND730	8/16	12" Extended LF Neodymium Driver - 3" vc - 400W AES - 98dB1w/1mt - ISV	€ 432,00
12ND830	4/8	12" LF Neodymium Driver - 3" vc - 450W AES - 99dB@1W/1mt - ISV	€ 462,00
12ND610	8/16	12" Very High Output MB Neodymium Driver - 3" vc - 450W AES - 102dB@1W/1mt - ISV	€ 504,00
12NMB420	8	12" MB Neodymium Driver - 2.5" vc - 300W AES - 100,5dB@1W/1mt - ISV - SDR	€ 348,00
12NDA520	8	12" High Output MB Neodymium - 2,5" vc - 300W AES - 100,5dB@1W/1mt - ISV - AIC	€ 430,00
10" Neodymium			
10NTLW3500	4/8/16	10" Dual Gap Neo Driver - 3,5" vc - 800W AES - 94 dB@1W/1mt - double SDR - DG	€ 540,00
10NTLW2500	4/8	10" Dual Gap Neodymium Driver - Dual 2,5" vc - 500W AES - 96,5dB@1W/1mt - DG	€ 372,00
10NDA610	8	10" High Output Midrange Neodymium Driver - 3" vc - 400W AES - 103dB@1W/1mt - ISV - AIC	€ 516,00
10NTLW2000	8/16	10" Dual Gap Neodymium Driver - Dual 2" vc - 350W AES - 98dB@1W/1mt - DG	€ 300,00
10NTLS2000	8	10" Dual Gap Neodymium Driver - Dual 2" vc - 350W AES - 97dB@1W/1mt - DG	€ 300,00
10" Neodymium (cont.)			
10NW750	8/16	10" Low Frequency Neodymium Driver - 3" vc - 450W AES - 94dB@1W/1mt - ISV - SDR	€ 408,00
10NMB520	8	10" High Output MB Neodymium Driver - 2,5" vc - 300W AES - 103dB@1W/1mt - ISV - AIC	€ 420,00
10NMB420	8/16	10" High Output MB Neodymium Driver - 2.5" vc - 350W AES - 99dB@1W/1mt - ISV - SDR	€ 348,00
10NW650	8/16	10" Low Frequency Neodymium Driver - 2,5" vc - 300W AES - 96dB@1W/1mt - ISV	€ 312,00
8" Neodymium			
8NMB750	8/16	8" MB Neodymium Driver - 3" vc - 350W AES - 94dB@1W/1mt - ISV - SDR	€ 415,00
8NM610	8/16	8" High Output Midrange Neodymium Driver - 3" vc - 400W AES - 104dB@1W/1mt - sealed basket	€ 624,00
8NTLS2000	8/16	8" Dual Gap Rubber Surround Neodymium Driver - Dual 2" vc - 250W AES - 98.4dB@1W/1mt - Dual Gap	€ 300,00
8NTLW2000	8/16	8" Dual Gap Neodymium Driver - Dual 2" vc - 250W AES - 98.4dB@1W/1mt - Dual Gap	€ 264,00
8NW650	8/16	8" LF Neodymium Driver - 2.5" vc - 300W AES - 96dB@1W/1mt - ISV	€ 276,00
8NMB420	4/8/16	8" MB Neodymium Driver - 2" vc - 280W AES - 95dB@1W/1mt - ISV - SDR	€ 240,00
6" Neodymium			
6ND430	4/8/16	6" LF Neodymium Driver - 1.75" vc - 200W AES - 92,5dB@1W/1mt	€ 204,00
6NTLW2000	8/16	6" MB Neodymium Driver - Dual 2" vc - 350W AES - 95dB@1W/1mt	€ 252,00
6NMB900	8/16	6" MB Neodymium Driver - 1.75" vc - 200W AES - 97dB@1W/1mt - SDR	€ 252,00
6NMB420	8/16	6" MB Neodymium Driver - 1.75" vc - 200W AES - 100dB@1W/1mt - SDR	€ 216,00
6ND410	8/16	6" High Output Midrange Neodymium Driver - 1.75" vc - 180W AES - 102dB@1W/1mt - EWAL	€ 216,00

MODEL	OHMS	DESCRIPTION	PRIX
FERRITE CONE TRANSDUCERS			
21" Ferrite			
21LW2600	4/8	21" Extended LF Driver - 4" vc - 1600W AES - 97dB@1W/1mt - ISV - Active Cooling	€ 780,00
18" Ferrite			
18TLW3000	4/8	18" Tetracoil Extended LF Driver - 4" vc - 1800W AES - 95dB@1W/1mt - ISV - TTV	€ 708,00
18LW2600	4/8	18" Extended LF Driver 4" vc - 1500W AES - 96.8dB@1W/1mt - ISV - SDR	€ 624,00

MODEL	OHMS	DESCRIPTION	PRIX
FERRITE CONE TRANSDUCERS			
18" Ferrite			
18LW2420	4/8	18" Extended LF Driver - 4" vc - 1300W AES - 97dB@1W/1mt - ISV - SDR	€ 550,00
18LW2400	4/8	18" Extended LF Driver - 4" vc - 1200W AES - 98dB@1W/1mt - ISV - DSS - DDR	€ 550,00
18LW1400	4/8	18" Extended LF Driver - 4" vc - 1000W AES - 98dB@1W/1mt - ISV - DSS - DDR	€ 569,00
18LW1251	8	18" Extended LF Driver - 4" vc - 1000W AES - 98dB@1W/1mt - ISV - DSS	€ 528,00
18W2001	8	18" Extended LF Driver - 4" vc - 1200W AES - 99dB@1W/1mt - ISV - DSS	€ 528,00
18W1300	8	18" Extended LF Driver - 4" vc - 1000W AES - 99,5dB@1W/1mt - ISV - DSS - DDR	€ 576,00
18W1001	8	18" High Output LF Driver - 4" vc - 1000W AES - 99,5dB@1W/1mt - ISV - DSS	€ 528,00
15" Ferrite			
15TLW3000	4/8	15" Tetracoil Extended LF Driver - 4" vc - 1500W AES - 95dB@1W/1mt - ISV - TTV	€ 732,00
15LW2400	4/8	15" Extended LF Driver - 4" vc - 1200W AES - 97dB@1W/1mt - ISV - DSS - DDR	€ 540,00
15LW1500	8	15" Extended LF driver 4" vc-1000W AES 96 db@1W/1mt DSS-DDR	€ 576,00
15LW1401	4/8	15" Extended LF Driver - 4" vc - 1000W AES - 98dB@1W/1mt - ISV - DSS - DDR	€ 528,00
15MB1000	8	15" Mid Bass Driver - 4" vc - 850W AES - 98dB@1W/1mt - ISV	€ 528,00
15MB700	8	15" Very High Output MB Driver - 3" vc - 400W AES - 103dB@1W/1mt - ISV	€ 343,00
15W930	8	15" Extended LF Driver - 3" vc - 500W AES - 98dB@1W/1mt - ISV - SDR	€ 420,00
15W750	4/8/16	15" LF Driver - 3" vc - 600W AES - 98dB@1W/1mt - ISV	€ 389,00
15W700	4/8	15" LF Driver - 3" vc - 450W AES - 99dB@1W/1mt - ISV	€ 360,00
15MB650	4/8	15" Very High Output MB Driver - 3" vc - 400W AES - 101,5dB@1W/1mt - ISV	€ 408,00
15MB606	8	15" Very High Output MB Driver - 3" vc - 400W AES - 101dB@1W/1mt - ISV	€ 384,00
15W500	8	15" LF Driver - 2,5" vc - 350W AES - 100,5dB@1W/1mt - ISV	€ 300,00
12" Ferrite			
12LW1400	8	12" Extended LF Driver - 4" vc - 900W AES - 96dB@1W/1mt - ISV - DSS - DDR	€ 516,00
12MB1000	8	12" High Output MB Driver - 4" vc - 600W AES - 102dB@1W/1mt	€ 408,00
12LW801	4/8	12" Extended LF Driver 3" vc- 500 AES - 96 dB@1W/1mt - ISV - DSS	€ 384,00
12LW800	4/8	12" Extended LF Driver - 3" vc - 500W AES - 96dB@1W/1mt- ISV- DSS	€ 384,00
12W750	4/8/16	12" LF Driver - 3" vc - 600W AES - 97dB@1W/1mt - ISV	€ 348,00
12W700	8	12" LF Driver - 3" vc - 450W AES - 98dB@1W/1mt - ISV	€ 372,00
12MB710	8	12" Very High Output MB Driver - 3"vc - 500W AES - 100dB@1W/1mt - ISV - SDR	€ 372,00
12MB700	8/16	12" Very High Output MB Driver - 3" vc - 450W AES - 101,5dB@1W/1mt - ISV - DDR	€ 360,00
12MB600	4/8	12" Very High Output MB Driver - 3" vc - 450W AES - 101dB@1W/1mt - ISV	€ 310,00
12MB650	8	2" MB Driver - 400W AES - 2,5" aluminum vc - 98dB@1W/1mt - EWAL	€ 372,00
12W500	4/8	12" LF Driver - 2,5" vc - 350W AES - 99,5dB@1W/1mt - ISV	€ 269,00
10" Ferrite			
10MB600	8/16	10" High Output MB Driver - 3" vc - 450W AES - 98dB@1W/1mt - ISV	€ 336,00
10M600	8	10" Very High Output MB Driver - 3" vc - 400W AES - 102dB@1W/1mt	€ 340,00
10W650	8/16	10" Low Frequency Driver - 2,5" vc - 280W AES - 98dB@1W/1mt - ISV	€ 300,00
10W500	8	10" Low Frequency Driver - 2" vc - 280W AES - 98dB@1W/1mt - ISV	€ 250,00
10MB400	8	10" High Output MB Driver - 2"vc - 250W AES - 98dB@1W/1mt - ISV	€ 288,00

MODEL	OHMS	DESCRIPTION	PRIX
FERRITE CONE TRANSDUCERS			
8" Ferrite			
8MB710	8	8" Mid Bass Driver - 2" vc - 250W AES - 99,5dB@1W/1mt - ISV	€ 238,00
8MB500	4/8/16	8" Mid Bass Driver - 2" vc - 280W AES - 95dB@1W/1mt - ISV	€ 204,00
8MB400	8	8" Mid Bass driver- 2" vc-280W AES 95dB@1W/1mt ISV	€ 209,00
8M400F	8	8" High Output MB Driver - 2" vc - 250W AES - 100,5dB@1W/1mt - ISV	€ 228,00
6" Ferrite			
6M44	8	6" Midrange ferrite driver-1,75"vc-200W AES -95dB@1W/1mt SDR	€ 161,00
5" Ferrite			
5W430	8	5" LF Driver - 1" vc - 120W AES - 98dB@1W/1mt	€ 94,00

MODEL	OHMS	DESCRIPTION	PRIX
COAXIALS			
15" Neodymium			
15NCX1000	8	15"/1,5" High Output Coaxial - 4" LF/4" HF vc - 1600W/260W - 96.5/106.5 dB@1W/1mt - ISV - SDR - EWAL	€ 1.596,00
15NCX910N	8	15"/1,4" Single Magnet Neo Coax Driver - 3"LF/3" HF vc - 900W/240W - 99,5/109 dB ISV - SDR	€ 1.008,00
15NCX910	8	15"/1,4" Single magnet Neo Coaxial driver - 3" LF/3" HF vc - 800W/240W - 99,5/109 dB@1W/1mt - ISV - SDR - EWAL	€ 924,00
15NCX750	8	15"/1,4" High Output Coaxial - 3" LF / 2.4" HF vc - 800W / 240 - 98/107 dB@1W/1mt - ISV - SDR	€ 924,00
15NCX750H	8	15NCX750 equipped with 70°x50° elliptical horn	€ 960,00
12" Neodymium			
12NCX910N	8	12"/1,4" Single Magnet Neo Coax Driver - 3"LF/3"HF vc - 900W/240W - 99/108 dB ISV - SDR	€ 948,00
12NCX910	8	12"/1,4" Single Magnet Neo Coax Driver - 3"LF/3"HF vc - 900W/240W - 99/108 dB ISV - SDR	€ 864,00
12NCX750	8	12"/1,4" High Output Coaxial - 3" LF/2.4" HF vc - 800W/240W - 97/106.5 dB@1W/1mt - ISV - SDR	€ 888,00
12NCX750H	8	12NCX750 equipped with 70°x 50° elliptical horn	€ 924,00
10" Neodymium			
10NCX750H	8	10"/1,4" Single Magnet Neo Coax Driver - 3" LF/2.4" HF vc - 800W/240W - 97.2/107.6 dB @1W/1mt - with 70°x 50° elliptical horn	€ 876,00
10NCX750	8	10"/1,4" Single Magnet Neo Coax Driver - 3" LF/2.4" HF vc - 800W/240W - 97.2/107.6 dB @1W/1mt - with 70°x 50°	€ 840,00
8" Ferrite			
8CX650	8	8"/1" High Output Coaxial - 2.5" LF / 1.75" HF vc - 400W / 140W program - 92.5 / 105.5 dB@1W/1mt - ISV - EWAL	€ 660,00
8CX401F	8	8"/1" High Output Coaxial - 2" LF / 1" HF vc - 280W / 25W AES - 95 / 106 dB@1W/1mt - ISV - EWAL	€ 384,00

Crossovers			
XOVER 15NCX910		Crossover network for 15NCX910 - HF dynamic protection network	€ 194,00
XOVER 15NCX750		Crossover network for 15NCX750H and 15NCX750 - HF dynamic protection network	€ 185,00
XOVER 12NCX910		Crossover network for 12NCX910/12NCX910N - HF dynamic protection network	€ 202,00
XOVER 12NCX750		Crossover network for 12NCX750H and 12NCX750 - HF dynamic protection network	€ 178,00
XOVER 10NCX750		Crossover network for 10NCX750H and 10NCX750 - HF dynamic protection network	€ 161,00
XOVER 8CX401F		Crossover network for 8CX401F - HF dynamic protection network	€ 137,00

MODEL	OHMS	DESCRIPTION	PRIX
NEODYMIUM COMPRESSION DRIVERS			
2" Neodymium			
ND4020Ti2	8	2" exit HF Neo Driver - 3" vc - 320W program power - 113dB@1W/1mt - Titanium diaphragm - EWAL	€ 756,00
ND2080	8/16	2" exit HF Neo Driver - 3" vc - 200W program power - 110dB@1W/1mt - Titanium diaphragm - EWAL	€ 612,00
ND2080A	8	2" Exit HF Neo Driver - 3" vc - 200W program power - 111dB@1W/1mt - Aluminum dome - EWAL	€ 636,00
ND2060	8/16	2" exit HF Neo Driver - 3" vc - 200W program power - 109dB@1W/1mt - Titanium diaphragm - EWAL	€ 528,00
ND2060A	8/16	2" exit HF Neo Driver - 3" vc - 160W program power - 110dB@1W/1mt - Aluminum dome - EWAL	€ 528,00
ND32ST	8/16	2" exit HF Neo Driver 3" vc. - 240W program prover - 112db@1W/1mt- Titanium diaphragm - EWAL	€ 528,00
1.5" Neodymium			
ND4015BE	8	1.5" exit neo HF driver - 4" vc - 200W program power - 113 dB@1W/1mt - Beryllium diaphragm - EWAL	Sur demande
NSD4015N	8	1.5" exit neo HF driver - 4" vc - 320W program power - 111 dB@1W/1mt - treated Titanium diaphragm (TPM) - EWAL	€ 816,00
NSD4014N	8	1.5" exit neo HF driver - 4" vc - 320W program power - 111 dB@1W/1mt - treated Titanium diaphragm (TPM) - EWAL	€ 816,00
ND4015Ti2	8/16	1.5" exit neo HF driver - 4" vc - 320W program power - 111 dB@1W/1mt - Titanium diaphragm- EWAL	€ 720,00
<i>*2" and 1,4" exit version available on request</i>			
1.4" Neodymium			
ND3BE	8	1,4" exit HF Neo Driver - 3" vc - 220W max program power - 112dB@1W/1mt - Beryllium diaphragm - EWAL - copper ring	Sur demande
ND1480BE	16	1,4" exit HF Neo Driver - 3" vc - 200W program power - 112dB@1W/1mt - Beryllium diaphragm - EWAL - copper ring	Sur demande
ND3ST	8/16	1,4" exit HF Neo Driver - 3" vc - 240W max program power - 112dB@1W/1mt - Ti diaphragm - EWAL - copper ring	€ 504,00
ND3T	8/16	1,4" exit HF Neo Driver - 3" vc - 220W max program power - 112dB@1W/1mt - Ti diaphragm - EWAL - copper ring	€ 432,00
ND3SA	8/16	1,4" exit HF Neo Driver - 3" vc - 240W max program power - 112dB@1W/1mt - Aluminum Pen- EWAL - copper ring	€ 516,00
ND3A	8/16	1,4" exit HF Neo Driver - 3" vc - 220W max program power - 112dB@1W/1mt -Aluminum Pen EWAL - copper ring	€ 444,00
ND3SN	8/16	1,4" exit HF Neo Driver - 3" vc - 240W max program power - 112dB@1W/1mt - TPM diaphragm - EWAL - copper ring	€ 570,00
ND3N	8/16	1,4" exit HF Neo Driver - 3" vc - 220W max program power - 112dB@1W/1mt - TPM diaphragm - EWAL - copper ring	€ 492,00
ND2T	8/16	1,4" exit HF neo Driver 2,5" vc - 160W max program power -110dB@1W/1mt - Ti diaphragm - EWAL - copper ring	€ 360,00
NSD1480N	8/16	1,4" exit HF Neo Driver - 3" vc - 200W program power - 111dB@1W/1mt - TPM diaphragm - EWAL - copper ring	€ 672,00
ND1480	8/16	1,4" exit HF Neo Driver - 3" vc - 200W program power - 110dB@1W/1mt - Ti diaphragm - EWAL - copper ring	€ 588,00
ND1480A	8/16	1,4" exit HF Neo Driver - 3" vc - 160W program power - 111dB@1W/1mt - Aluminum PEN - EWAL - copper ring	€ 612,00
ND1460	8/16	1,4" exit HF Neo Driver - 3" vc - 200W program power - 109dB@1W/1mt - Ti diaphragm - EWAL - copper ring	€ 504,00
ND1460A	8/16	1,4" exit HF Neo Driver - 3" vc - 160W program power - 110dB@1W/1mt - Aluminum PEN - EWAL - copper ring	€ 504,00
NSD1424BTN	8/16	1,4" exit HF Neo Driver - 2,5" vc - 140W program power - 110dB@1W/1mt - TPM diaphragm - EWAL - copper ring	€ 468,00
ND1424BT	8/16	1,4" exit HF Neo Driver - 2,5" vc - 140W program power - 109dB@1W/1mt - Ti diaphragm - EWAL - copper ring	€ 468,00
1" Neodymium			
ND1TP	8/16	1" exit HF Neo Driver - 1.75" vc - 100W program power - 110dB@1W/1mt - Titanium PEN - EWAL - copper ring	€ 240,00
NSD1095N	8/16	1" exit HF Neo Driver - 1.75" vc - 100W program power - 110dB@1W/1mt - TPM diaphragm- EWAL - copper ring	€ 334,00
ND1090	8/16	1" exit HF Neo Driver - 1.75" vc - 100W program power - 110dB@1W/1mt - Titanium PEN - EWAL - copper ring	€ 276,00
ND1085	8	1" exit HF Neo Driver - 1.75" vc - 80W program power - 110dB@1W/1mt - PEN diaphragm - EWAL - copper ring	€ 276,00
ND1075	8	1" Exit HF Neo Driver - 1.75" vc - 100W program power - 108dB@1W/1mt Titanium EWAL - copper ring	€ 276,00
ND1070	8/16	1" exit HF Neo Driver - 1.75" vc - 100W program power - 109dB@1W/1mt - Titanium PEN - EWAL - copper ring	€ 262,00
ND1018BT	8	1" exit HF Neo Driver - 1.75" vc - 100W program power - 108dB@1W/1mt - Titanium PEN - EWAL - copper ring	€ 240,00
ND1050	8/16	1" exit HF Neo Driver - 1.75" vc - 90W program power - 109,5dB@1W/1mt - Titanium PEN - EWAL	€ 240,00
ND1030	8	1" exit HF Neo Driver - 1.3" vc - 60W program power - 107dB@1W/1mt - Titanium Diaphragm - EWAL	€ 166,00
ND1020	8	1" exit HF Neo Driver - 1.3" vc - 60W program power - 108.5dB@1W/1mt - PEN Diaphragm - EWAL	€ 182,00

MODEL	OHMS	DESCRIPTION	PRIX
AIR MOTION TRANSFORMERS			
AMT200P	8/16	200x105mm High Efficiency Air Motion Transformer - 180W program power - 105dB@1W/1mt	€ 960,00
AMT100H	8	80x100mm High Efficiency Air Motion Transformer - 50W program power - 93dB@1W/1mt	€ 564,00
FERRITE COMPRESSION DRIVERS			
2" Ferrite			
HD3020T	8	2" exit HF Driver - 3" vc - 220W max program power - 110dB@1W/1mt - Titanium PEN diaphragm - EWAL - copper ring	€ 420,00
HD2080T	8	2" exit HF Driver - 3" vc - 200W program power - 109dB@1W/1mt - Titanium PEN - EWAL - copper ring	€ 432,00
HD2020	8	2" exit HF Driver - 2.4" vc - 140W program power - 108dB@1W/1mt - Titanium diaphragm - EWAL - copper ring	€ 382,00
1,4" Ferrite			
HD3000T	8	1,4" exit HF Driver - 3" vc - 240W max program power - 112dB@1W/1mt - Titanium PEN - EWAL - copper ring	€ 396,00
HD1480T	8	1,4" exit HF Driver - 3" vc - 200W program power - 109dB@1W/1mt - Titanium PEN - EWAL - copper ring	€ 408,00
HD2000	8	1,4" exit HF Driver - 2.4" vc - 140W program power - 108dB@1W/1mt - Titanium diaphragm - EWAL - copper ring	€ 324,00
1" Ferrite			
HD1000	8	1" exit HF Driver - 1.75" vc - 100W program power - 107dB@1W/1mt - Titanium PEN - EWAL	€ 240,00
HD1050	8/16	1" exit HF Driver - 1.75" vc - 100W program power - 107dB@1W/1mt - Titanium dome - EWAL	€ 185,00
HD1040	8/16	1" exit HF Driver - 1.75" vc - 80W program power - 107dB@1W/1mt - PEN diaphragm - EWAL	€ 180,00
HD1030	8	1" exit HF Driver - 1.3" vc - 60W program power - 106dB@1W/1mt - Titanium diaphragm - EWAL	€ 125,00
HD125	8/16	1" exit HF Driver - 1" vc - 50W program power - 110dB@1W/1mt - Polyester diaphragm - EWAL	€ 91,00
XD125	8/16	1" exit HF Transducer - 1" vc - composed by HD125 driver assembled on XT120 horn - EWAL	€ 122,00
HD110	8	1" exit on 1+3/8" screw-in type horn HF Driver - 1" vc - 40W program power - 109dB@1W/1mt - Phenolic diaphragm	€ 72,00
XD110	8	1" exit HF Transducer - 1" vc - composed by HD110 driver assembled on elliptical horn	€ 84,00
LINE ARRAY WAVE GUIDE			
XG14		1,4" entry waveguide - 110° H x 10° V coverage - Transmission Line design - Diecast aluminum construction	€ 113,00
XG10		1" entry waveguide - 110° H x 10° V coverage - Transmission Line design - Diecast aluminum construction	€ 120,00
CONSTANT COVERAGE HORNS			
XR2064C		Constant Coverage HF horn - 2" entry - 60° H x 40° V - DI factor 11dB - Composite material	€ 125,00
XR1496C		Constant Coverage HF horn - 1,4" entry - 90° H x 60° V - DI factor 9dB - Composite material	€ 122,00
XR1464C		Constant Coverage rotatable HF horn - 1,4" entry - 60° H x 40° V - DI factor 11dB - Composite material	€ 118,00
XT1464		Constant Coverage HF horn - 1,4" entry - 60° H x 50° V - DI factor 18dB - ESS Elliptical shape - Injection polyurethane	€ 118,00
XR1064		Constant Coverage rotatable HF horn - 1" entry - 60° H x 40° V - DI factor 12dB - Diecast Aluminum	€ 94,00
XT1086		Constant Coverage HF horn - 1" entry - 80° H x 60° V - DI factor 15dB - ESS elliptical shape - Diecast Aluminum	€ 96,00
XT120		Constant Coverage HF horn - 1" entry - 90° H x 60° V - DI factor 15dB - ESS elliptical shape - Injection polyurethane	€ 60,00
XMT200		Constant Coverage AMT horn 90° H x 20° V	€ 108,00

TECHNOLOGIES

TTC: Tetracoil Double Voice Coil
 DG: Dual Gap
 ISV: Interleaved Sandwich Voice Coil
 EWAL: EdgeWound Aluminum Voice Coil
 DSS: Double Silicon Spider

TSS: Triple Silicon Spider
 DDR: Double Demodulating Ring
 SDR: Single Demodulating Ring
 AIC: Active Impedance Control
 iD: IPAL compatible, Class D